



Strasbourg, 14.2.2023  
COM(2023) 88 final

ANNEXES 1 to 2

## **ANNEXES**

*to the*

**proposal for a REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE  
COUNCIL**

**amending Regulation (EU) 2019/1242 as regards strengthening the CO<sub>2</sub> emission  
performance standards for new heavy-duty vehicles and integrating reporting  
obligations, and repealing Regulation (EU) 2018/956**

{SEC(2023) 100 final} - {SWD(2023) 88 final} - {SWD(2023) 89 final}

## ANNEX I

### Average specific emissions, average specific emission targets and excess emissions

#### 1. VEHICLE SUB-GROUPS

1.1. For the purposes of this Regulation a sub-group *sg* is defined for each new heavy-duty vehicle.

1.1.1. For vehicles of category N the sub-group *sg* is defined as follows:

| <b>Vehicle group according to Annex I to Regulation (EU) 2017/2400</b> | <b>Vocational vehicle according to Article 3(9) of this Regulation</b> | <b>Cab type</b>    | <b>Engine power</b>           | <b>Operational range (OR)</b> | <b>Vehicle sub-group (sg) attributed for the purposes of this Regulation</b> |
|--|--|--------------------|-------------------------------|-------------------------------|--|
| <b>53</b>  | <b>No</b>  | <b>All</b>         |                               |                               | <b>53</b>  |
| <b>54</b>  | <b>No</b>  | <b>All</b>         |                               |                               | <b>54</b>  |
| <b>1s</b>  | <b>No</b>  | <b>All</b>         |                               |                               | <b>1s</b>  |
| <b>1</b>   | <b>No</b>  | <b>All</b>         |                               |                               | <b>1</b>   |
| <b>2</b>   | <b>No</b>  | <b>All</b>         |                               |                               | <b>2</b>   |
| <b>3</b>   | <b>No</b>  | <b>All</b>         |                               |                               | <b>3</b>   |
| <b>4</b>   | <b>No</b>  | <b>All</b>         | <b>&lt;170 kW</b>             | <b>All</b>                    | <b>4-UD</b>  |
|  | <b>No</b>  | <b>Day cab</b>     | <b>≥170 kW</b>                | <b>All</b>                    | <b>4-RD</b>  |
|  | <b>No</b>  | <b>Sleeper cab</b> | <b>≥170 kW and &lt;265 kW</b> |                               |  |
|  | <b>No</b>  | <b>Sleeper cab</b> | <b>≥265 kW</b>                | <b>&lt; 350 km</b>            |  |
|  | <b>No</b>  | <b>Sleeper cab</b> | <b>≥265 kW</b>                | <b>≥ 350 km</b>               | <b>4-LH</b>  |
| <b>9</b>   | <b>No</b>  | <b>Day cab</b>     | <b>All</b>                    | <b>All</b>                    | <b>9-RD</b>  |

|           |           |                    |                    |                    |              |
|-----------|-----------|--------------------|--------------------|--------------------|--------------|
|           | <b>No</b> | <b>Sleeper cab</b> | <b>All</b>         | <b>&lt; 350 km</b> |              |
|           | <b>No</b> | <b>Sleeper cab</b> | <b>All</b>         | <b>≥ 350 km</b>    | <b>9-LH</b>  |
| <b>5</b>  | <b>No</b> | <b>Day cab</b>     | <b>All</b>         | <b>All</b>         | <b>5-RD</b>  |
|           | <b>No</b> | <b>Sleeper cab</b> | <b>&lt; 265 kW</b> |                    |              |
|           | <b>No</b> | <b>Sleeper cab</b> | <b>≥ 265 kW</b>    | <b>&lt; 350 km</b> |              |
|           | <b>No</b> | <b>Sleeper cab</b> | <b>≥ 265 kW</b>    | <b>≥ 350 km</b>    | <b>5-LH</b>  |
| <b>10</b> | <b>No</b> | <b>Day cab</b>     | <b>All</b>         | <b>All</b>         | <b>10-RD</b> |
|           | <b>No</b> | <b>Sleeper cab</b> | <b>All</b>         | <b>&lt; 350 km</b> |              |
|           | <b>No</b> | <b>Sleeper cab</b> | <b>All</b>         | <b>≥ 350 km</b>    | <b>10-LH</b> |
| <b>11</b> | <b>No</b> | <b>All</b>         |                    |                    | <b>11</b>    |
| <b>12</b> | <b>No</b> | <b>All</b>         |                    |                    | <b>12</b>    |
| <b>16</b> | <b>No</b> | <b>All</b>         |                    |                    | <b>16</b>    |

‘Sleeper cab’ means a type of cab that has a compartment behind the driver's seat intended to be used for sleeping as reported in accordance with Articles 13a and 13b.

‘Day cab’ means a type of cab that is not a sleeper cab.

Where a new heavy-duty vehicle is attributed to sub-group 4-UD, but data on the CO<sub>2</sub> emissions in g/km are not available for the UDL or UDR mission profiles as defined in point 2.1, Table 2 the new heavy-duty vehicle shall be attributed to the sub-group 4-RD

‘Operational range’ means the distance a vehicle can travel under long haul transport conditions without being re-charged or re-filled, as provided for in point 1.3.

1.1.2. For vehicles of category M the sub-group *sg* is defined as follows:

| <b>Vehicle group pursuant to Annex I to Regulation (EU) 2017/2400</b> | <b>Vehicle sub-group (sg) attributed for the purposes of this Regulation</b> |
|---|--|
| <b>31a, 31d</b>   | <b>31-LF</b>   |
| <b>31b1</b>   | <b>31-L1</b>   |
| <b>31b2</b>   | <b>31-L2</b>   |
| <b>31c, 31e</b>   | <b>31-DD</b>   |
| <b>32a, 32b</b>   | <b>32-C2</b>   |
| <b>32c, 32d</b>   | <b>32-C3</b>   |
| <b>32e, 32f</b>   | <b>32-DD</b>   |
| <b>33a, 33d, 37a, 37d</b>   | <b>33-LF</b>   |
| <b>33b1, 37b1</b>   | <b>33-L1</b>   |
| <b>33b2, 37b2</b>   | <b>33-L2</b>   |
| <b>33c, 33e, 37c, 37e</b>   | <b>33-DD</b>   |
| <b>34a, 34b, 36a, 36b, 38a, 38b, 40a, 40b</b>                         | <b>34-C2</b>   |
| <b>34c, 34d, 36c, 36d, 38c, 38d, 40c, 40d</b>                         | <b>34-C3</b>   |
| <b>34e, 34f, 36e, 36f, 38e, 38f, 40e, 40f</b>                         | <b>34-DD</b>   |
| <b>35a, 35b1, 35b2, 35c</b>   | <b>35-FE</b>   |
| <b>39a, 39b1, 39b2, 35c</b>   | <b>39-FE</b>   |

1.1.3. For vehicles of category O the sub-group *sg* is defined as follows:

| <b>Vehicle groups defined in Annex I of Regulation (EU) 2022/1362</b> | <b>Vehicle sub-group (sg) attributed for the purposes of this Regulation</b> |
|---|--|
| <b>All groups provided in</b>   | <b>Same as provided in</b>   |

|   |   |
|---|---|
| Table 1 with 1, 2, 3 axles                        | column “vehicle group” of the tables in Annex I to Regulation (EU) 2022/1362. |
| All groups provided in Table 4 with 1, 2, 3 axles |   |
| All groups provided in Table 6                    |   |

1.2. Vocational vehicles are defined by the following criteria:

| Vehicle category | Chassis configuration | Criteria for vocational vehicles  |
|------------------|-----------------------|---|
| N                | Rigid                 | One of the following digits, as listed in Appendix 2 of Annex I to Regulation (EU) 2018/858, is used to supplement the code for bodywork indicated in entry 38 of the certificate of conformity:<br><br>09, 10, 15, 16, 18, 19, 20, 23, 24, 25, 26, 27, 28, 31; |
|                  | Tractor               | Maximum speed not exceeding 79 km/h   |

1.3. Operational ranges for the purposes of this Regulation are set as follows:

| Powertrain technology   | Operational range (OR)   |
|---|--|
| Vehicles drawing energy for the purpose of mechanical propulsion only from an electrical energy or power storage device | OR = actual charge depleting range as provided for by point 2.4.1 of part I of Annex IV to Regulation (EU) 2017/2400 for the LHR mission profile |
| Other technologies  | OR > 350 km  |

1.4. Definitions of mission profiles

|            |   |
|------------|---|
| <b>RDL</b> | <b>Regional delivery payload low</b>            |
| <b>RDR</b> | <b>Regional delivery payload representative</b> |
| <b>LHL</b> | <b>Long haul payload low</b>                    |
| <b>LHR</b> | <b>Long haul payload representative</b>         |
| <b>UDL</b> | <b>Urban delivery payload low</b>               |

|            |   |
|------------|---|
| <b>UDR</b> | <b>Urban delivery payload representative</b>              |
| <b>REL</b> | <b>Regional delivery (EMS) payload low</b>                |
| <b>RER</b> | <b>Regional delivery (EMS) payload representative</b>     |
| <b>LEL</b> | <b>Long haul (EMS) payload low</b>                        |
| <b>LER</b> | <b>Long haul (EMS) payload representative</b>             |
| <b>MUL</b> | <b>Municipal utility payload low</b>                      |
| <b>MUR</b> | <b>Municipal utility payload representative</b>           |
| <b>COL</b> | <b>Construction payload low</b>                           |
| <b>COR</b> | <b>Construction payload representative</b>                |
| <b>HPL</b> | <b>Heavy urban, person transport, low load</b>            |
| <b>HPR</b> | <b>Heavy urban, person transport, representative load</b> |
| <b>UPL</b> | <b>Urban, person transport, low load</b>                  |
| <b>UPR</b> | <b>Urban, person transport, representative load</b>       |
| <b>SPL</b> | <b>Sub-urban, person transport, low load</b>              |
| <b>SPR</b> | <b>Sub-urban, person transport, representative load</b>   |
| <b>IPL</b> | <b>Inter-urban, person transport, low load</b>            |
| <b>IPR</b> | <b>Inter-urban, person transport, representative load</b> |
| <b>CPL</b> | <b>Coach, person transport, low load</b>                  |
| <b>CPR</b> | <b>Coach, person transport, representative load</b>       |

## **2. CALCULATION OF THE AVERAGE SPECIFIC EMISSIONS OF A MANUFACTURER**

### **2.1. Calculation of the specific CO<sub>2</sub> emissions of a new heavy-duty vehicle**

The specific emissions in g/km of a new heavy-duty vehicle  $v$  attributed to a sub-group  $sg$  or of its primary vehicle shall be calculated in accordance with the following formula:

$$CO2_v = \sum_{mp} W_{sg,mp} \times CO2_{v,mp}$$

$$CO2p_v = \sum_{mp} W_{sg,mp} \times CO2p_{v,mp}$$

Where,

$\sum_{mp}$  is the sum over all mission profiles  $mp$  listed in Table 2;

$sg$  is the sub-group to which the new heavy-duty vehicle  $v$  has been attributed according to Section 1 of this Annex;

$W_{sg,mp}$ , is the mission profile weight specified in points 2.1.1 to 2.1.3;

$CO2_{v,mp}$  is the CO<sub>2</sub> emissions in g/km of the new heavy-duty vehicle  $v$  determined for a mission profile  $mp$ , reported in accordance with Articles 13a and 13b and normalised pursuant to Annex III;

$CO2p_{v,mp}$  is the CO<sub>2</sub> emissions in g/km of the primary vehicle of the new heavy-duty vehicle  $v$ , determined for a mission profile  $mp$ , reported in accordance with Articles 13a and 13b;

For zero-emissions motor vehicles the values of  $CO2_{v,mp}$  and  $CO2p_{v,mp}$  shall be set to 0.

### 2.1.1. Mission profile weights ( $W_{sg,mp}$ ) for vehicles of category N

| Vehicle sub-group (sg)* | Mission profile (mp)** |       |      |      |      |      |                    |      |      |      |      |
|-------------------------|------------------------|-------|------|------|------|------|--------------------|------|------|------|------|
|                         | RDL                    | RDR   | LHL  | LHR  | UDL  | UDR  | REL, RER, LEL, LER | MUL  | MUR  | COL  | COR  |
| 53                      | 0,25                   | 0,25  | 0    | 0    | 0,25 | 0,25 | 0                  | 0    | 0    | 0    | 0    |
| 54                      | 0,25                   | 0,25  | 0    | 0    | 0,25 | 0,25 | 0                  | 0    | 0    | 0    | 0    |
| 1s                      | 0,1                    | 0,3   | 0    | 0    | 0,18 | 0,42 | 0                  | 0    | 0    | 0    | 0    |
| 1                       | 0,1                    | 0,3   | 0    | 0    | 0,18 | 0,42 | 0                  | 0    | 0    | 0    | 0    |
| 2                       | 0,125                  | 0,375 | 0    | 0    | 0,15 | 0,35 | 0                  | 0    | 0    | 0    | 0    |
| 3                       | 0,125                  | 0,375 | 0    | 0    | 0,15 | 0,35 | 0                  | 0    | 0    | 0    | 0    |
| 4-UD                    | 0                      | 0     | 0    | 0    | 0,5  | 0,5  | 0                  | 0    | 0    | 0    | 0    |
| 4-RD                    | 0,45                   | 0,45  | 0,05 | 0,05 | 0    | 0    | 0                  | 0    | 0    | 0    | 0    |
| 4-LH                    | 0,05                   | 0,05  | 0,45 | 0,45 | 0    | 0    | 0                  | 0    | 0    | 0    | 0    |
| 4v                      | 0                      | 0     | 0    | 0    | 0    | 0    | 0                  | 0,25 | 0,25 | 0,25 | 0,25 |

|              |             |             |             |             |          |          |          |             |             |             |             |
|--------------|-------------|-------------|-------------|-------------|----------|----------|----------|-------------|-------------|-------------|-------------|
| <b>5-RD</b>  | <b>0,27</b> | <b>0,63</b> | <b>0,03</b> | <b>0,07</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>5-LH</b>  | <b>0,03</b> | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>5v</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0,5</b>  | <b>0,5</b>  |
| <b>9-RD</b>  | <b>0,27</b> | <b>0,63</b> | <b>0,03</b> | <b>0,07</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>9-LH</b>  | <b>0,03</b> | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>9v</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b> | <b>0</b> | <b>0</b> | <b>0,25</b> | <b>0,25</b> | <b>0,25</b> | <b>0,25</b> |
| <b>10-RD</b> | <b>0,27</b> | <b>0,63</b> | <b>0,03</b> | <b>0,07</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>10-LH</b> | <b>0,03</b> | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>10v</b>   | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0,5</b>  | <b>0,5</b>  |
| <b>11</b>    | <b>0,15</b> | <b>0,35</b> | <b>0</b>    | <b>0</b>    | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0,15</b> | <b>0,35</b> |
| <b>12</b>    | <b>0,21</b> | <b>0,49</b> | <b>0</b>    | <b>0</b>    | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0,09</b> | <b>0,21</b> |
| <b>16</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>    | <b>0</b>    | <b>0,3</b>  | <b>0,7</b>  |

\* See definitions in point 1.1

\*\* See definitions in point 1.4

### 2.1.2. Mission profile weights (W<sub>sg,mp</sub>) for vehicles of category M

| <b>Vehicle sub-group (sg)*</b> | <b>Mission profile (mp)**</b> |             |             |             |             |             |             |             |             |             |
|--------------------------------|-------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
|                                | <b>HPL</b>                    | <b>HPR</b>  | <b>UPL</b>  | <b>UPR</b>  | <b>SPL</b>  | <b>SPR</b>  | <b>IPL</b>  | <b>IPR</b>  | <b>CPL</b>  | <b>CPR</b>  |
| <b>31-LF</b>                   | <b>0,27</b>                   | <b>0,23</b> | <b>0,15</b> | <b>0,13</b> | <b>0,11</b> | <b>0,11</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>31-L1</b>                   | <b>0,05</b>                   | <b>0,05</b> | <b>0,16</b> | <b>0,14</b> | <b>0,32</b> | <b>0,28</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>31-L2</b>                   | <b>0,05</b>                   | <b>0,05</b> | <b>0,09</b> | <b>0,08</b> | <b>0,15</b> | <b>0,13</b> | <b>0,24</b> | <b>0,21</b> | <b>0</b>    | <b>0</b>    |
| <b>31-DD</b>                   | <b>0,20</b>                   | <b>0,31</b> | <b>0,12</b> | <b>0,18</b> | <b>0,07</b> | <b>0,12</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>32-C2</b>                   | <b>0</b>                      | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0,47</b> | <b>0,43</b> | <b>0,04</b> | <b>0,06</b> |
| <b>32-C3</b>                   | <b>0</b>                      | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0,05</b> | <b>0,05</b> | <b>0,30</b> | <b>0,60</b> |
| <b>32-DD</b>                   | <b>0</b>                      | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0,05</b> | <b>0,05</b> | <b>0,35</b> | <b>0,55</b> |
| <b>33-LF</b>                   | <b>0,27</b>                   | <b>0,23</b> | <b>0,15</b> | <b>0,13</b> | <b>0,11</b> | <b>0,11</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>33-L1</b>                   | <b>0,05</b>                   | <b>0,05</b> | <b>0,16</b> | <b>0,14</b> | <b>0,32</b> | <b>0,28</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |



|              |             |             |             |             |             |             |             |             |             |             |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <b>33-L2</b> | <b>0,05</b> | <b>0,05</b> | <b>0,09</b> | <b>0,08</b> | <b>0,15</b> | <b>0,13</b> | <b>0,24</b> | <b>0,21</b> | <b>0</b>    | <b>0</b>    |
| <b>33-DD</b> | <b>0,20</b> | <b>0,31</b> | <b>0,12</b> | <b>0,18</b> | <b>0,07</b> | <b>0,12</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>34-C2</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0,47</b> | <b>0,43</b> | <b>0,04</b> | <b>0,06</b> |
| <b>34-C3</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0,05</b> | <b>0,05</b> | <b>0,30</b> | <b>0,60</b> |
| <b>34-DD</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0,05</b> | <b>0,05</b> | <b>0,35</b> | <b>0,55</b> |
| <b>35-FE</b> | <b>0,27</b> | <b>0,23</b> | <b>0,15</b> | <b>0,13</b> | <b>0,11</b> | <b>0,11</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |
| <b>39-FE</b> | <b>0,27</b> | <b>0,23</b> | <b>0,15</b> | <b>0,13</b> | <b>0,11</b> | <b>0,11</b> | <b>0</b>    | <b>0</b>    | <b>0</b>    | <b>0</b>    |

\* See definitions in point 1.1

\*\* See definitions in point 1.4

### 2.1.3. Mission profile weights (Wsg,mp) for vehicles of category O

| <b>Vehicle sub-group<br/>(sg)*</b>  | <b>Mission profile (mp)**</b> |             |             |             |            |            |                               |
|---|-------------------------------|-------------|-------------|-------------|------------|------------|-------------------------------|
|   | <b>RDL</b>                    | <b>RDR</b>  | <b>LHL</b>  | <b>LHR</b>  | <b>UDL</b> | <b>UDR</b> | <b>REL, RER,<br/>LEL, LER</b> |
| <b>111,<br/>111V,112,<br/>112V, 113</b>                                     | <b>0,27</b>                   | <b>0,63</b> | <b>0,03</b> | <b>0,07</b> | <b>0</b>   | <b>0</b>   | <b>0</b>                      |
| <b>121, 121V,<br/>122, 122V,<br/>123, 123V,<br/>124, 124V,<br/>125, 126</b> | <b>0,03</b>                   | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b>   | <b>0</b>   | <b>0</b>                      |
| <b>131, 131v,<br/>132, 132v,<br/>133</b>                                    | <b>0,03</b>                   | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b>   | <b>0</b>   | <b>0</b>                      |
| <b>421, 421v,<br/>422, 422v,<br/>423</b>                                    | <b>0,03</b>                   | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b>   | <b>0</b>   | <b>0</b>                      |
| <b>431, 431v,<br/>432, 432v,<br/>433</b>                                    | <b>0,03</b>                   | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b>   | <b>0</b>   | <b>0</b>                      |
| <b>611, 612</b>   | <b>0,27</b>                   | <b>0,63</b> | <b>0,03</b> | <b>0,07</b> | <b>0</b>   | <b>0</b>   | <b>0</b>                      |
| <b>611v, 612v</b>   | <b>0,03</b>                   | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b>   | <b>0</b>   | <b>0</b>                      |

|  |             |             |             |             |          |          |          |
|--|-------------|-------------|-------------|-------------|----------|----------|----------|
| <b>621, 623</b>  | <b>0,27</b> | <b>0,63</b> | <b>0,03</b> | <b>0,07</b> | <b>0</b> | <b>0</b> | <b>0</b> |
| <b>621V, 622,<br/>622V, 623V,<br/>624, 624V,<br/>625</b> | <b>0,03</b> | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b> | <b>0</b> | <b>0</b> |
| <b>631, 631v,<br/>632, 632v,<br/>633</b>                 | <b>0,03</b> | <b>0,07</b> | <b>0,27</b> | <b>0,63</b> | <b>0</b> | <b>0</b> | <b>0</b> |

\* See definitions in point 1.1

\*\* See definitions in point 1.4

## 2.2. Average specific CO<sub>2</sub> emissions of all new heavy-duty vehicles in a sub-group for a manufacturer

For each manufacturer and each *reporting period*, the average specific CO<sub>2</sub> emissions  $avgCO2_{sg}$  of all new heavy-duty vehicles in a sub-group  $sg$  or their primary vehicles, if applicable, shall be calculated as follows:

2.2.1. For category N and O vehicles:

$$avgCO2_{sg} = \frac{\sum_v CO2_v}{V_{sg} \times PL_{sg}} \quad (\text{in g/tkm})$$

2.2.2. For category M complete or completed vehicles:

$$avgCO2_{sg} = \frac{\sum_v CO2_v}{(V_{sg} - V_{pv_{sg}}) \times PN_{sg}} \quad \text{n g/pkm}$$

2.2.3. For category M primary vehicles of heavy-duty vehicles:

$$avgCO2p_{sg} = \frac{\sum_v CO2p_v}{V_{pv_{sg}} \times PN_{sg}} \quad (\text{in g/pkm})$$

Where,

$\sum_v$  is the sum over all new heavy-duty vehicles of the manufacturer in the sub-group  $sg$ , subject to the provisions of Article 7b;

$CO2_v$  is the specific CO<sub>2</sub> emissions of the new heavy-duty vehicle  $v$  determined in accordance with point 2.1;

$CO2p_v$  is the specific CO<sub>2</sub> emissions of the primary vehicle of the new heavy-duty vehicle  $v$  determined in accordance with point 2.1;

$V_{sg}$  is the number of new heavy-duty vehicles of the manufacturer in subgroup  $sg$ ;

$V_{pv_{sg}}$  the number of new heavy-duty vehicles within the sub-group  $sg$ , which pursuant to Article 7b shall be accounted for with the CO<sub>2</sub> emissions of their primary vehicles in the calculation of the average specific CO<sub>2</sub> emissions of point 2.2.3.;

|           |   |
|-----------|---|
| $PL_{sg}$ | is the average payload of vehicles in the sub-group $sg$ as determined in point 2.5.          |
| $PN_{sg}$ | is the average passenger number of vehicles in the sub-group $sg$ as determined in point 2.5. |

## 2.3. Calculation of the zero- and low-emission factor as referred to in Article 5

### 2.3.1 Reporting periods 2019 to 2024

For each manufacturer and reporting period from 2019 to 2024, the zero- and low-emission factor (ZLEV) referred to in Article 5 shall be calculated as follows:

$$ZLEV = V_{all} / (V_{conv} + V_{zlev}) \quad \text{with a minimum of 0,97}$$

where:

$V_{all}$  is the number of new heavy-duty vehicles of the manufacturer in the sub-groups  $sg = 4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH$ ;

$V_{conv}$  is the number of new heavy-duty vehicles of the manufacturer in the sub-groups  $sg = 4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH$  excluding zero- and low-emission heavy-duty vehicles;

$V_{zlev}$  is the sum of  $V_{in}$  and  $V_{out}$ ,

where,

$V_{in}$  is  $\sum_v (1 + (1 - CO2_v / LET_{sg}))$   
with  $\sum_v$  being the sum over all new zero- and low-emission heavy-duty vehicles in the sub-groups  $sg = 4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH$ ;

$CO2_v$  is the specific  $CO_2$  emissions in g/km of a zero- and low-emission heavy-duty vehicle  $v$  determined in accordance with point 2.1.;

$LET_{sg}$  is the low-emission threshold of the sub-group  $sg$  to which the vehicle  $v$  belongs as defined in point 2.3.4;

$V_{out}$  is the total number of zero-emission heavy-duty vehicles, which are not in the sub-groups referred to by the definition of  $V_{in}$ , and with a maximum of 1,5% of  $V_{conv}$ .

### 2.3.2 Reporting periods from 2025 to 2029

For each manufacturer and **reporting period**, the zero- and low-emission factor (ZLEV) referred to in Article 5 shall be calculated as follows:

$ZLEV = 1 - (y - x)$  unless this sum is larger than 1 or lower than 0.97 in which case the ZLEV factor shall be set to 1 or 0.97 respectively

Where:

x is 0,02

y is the sum of  $V_{in}$  and  $V_{out}$ , divided by  $V_{total}$ , where:

$V_{in}$  is the total number of newly registered low- and zero-emission heavy-duty vehicles in the sub-groups  $sg = 4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH$ , where each of them is counted as  $ZLEV_{specific}$  in accordance with the formula below:

$$ZLEV_{specific} = 1 - (CO2_v / LET_{sg})$$

Where:

$CO2_v$  is the specific  $CO_2$  emissions in g/km of a zero- and low-emission heavy-duty vehicle v determined in accordance with point 2.1,

$LET_{sg}$  is the low-emission threshold of the sub-group sg to which the vehicle v belongs as defined in point 2.3.4;

$V_{out}$  is the total number of newly registered zero-emission heavy-duty vehicles, which are not in the sub-groups referred to by the definition of  $V_{in}$ , and with a maximum of 0,035 of  $V_{total}$ ;

$V_{total}$  is the total number of newly registered heavy-duty vehicles of the manufacturer in that reporting period.

Where  $V_{in}/V_{total}$  is lower than 0,0075, the ZLEV factor shall be set to 1.

### 2.3.3 Reporting periods as from 2030

$$ZLEV = 1$$

### 2.3.4 Calculation of the low-emission threshold

The low-emission threshold  $LET_{sg}$  of the sub-group sg is defined as follows:

$$LET_{sg} = (rCO2_{sg} \times PL_{sg}) / 2$$

Where:

$rCO2_{sg}$  is the reference  $CO_2$  emissions of the sub-group sg, as determined in point 3;

$PL_{sg}$  is the average payload of vehicles in the sub-group sg as determined in point 2.5.

## 2.4. Calculation of vehicle shares

For each manufacturer and each *reporting period*, the share of new heavy-duty vehicles in a sub-group  $share_{sg}$  shall be calculated as follows:

$$share_{sg} = \frac{V_{sg}}{V}$$

For each manufacturer and each *reporting period*, the share of new zero-emissions heavy-duty vehicles in a sub-group  $zve_{sg}$  shall be calculated as follows:

$$zve_{sg} = \frac{Vzve_{sg}}{V_{sg}}$$

For each manufacturer and each *reporting period*, the share of new heavy-duty vehicles within the sub-group  $sg$ , which pursuant to Article 7b shall be accounted for with the CO<sub>2</sub> emissions of their primary vehicles in the calculation of the average specific CO<sub>2</sub> emissions of point 2.2., shall be calculated as follows:

$$pv_{sg} = \frac{Vpv_{sg}}{V_{sg}}$$

Where,

$Vzve_{sg}$  is the number of new zero-emissions heavy-duty vehicles of the manufacturer in a subgroup  $sg$ ;

$Vpv_{sg}$  the number of new heavy-duty vehicles within the sub-group  $sg$ , which pursuant to Article 7b shall be accounted for with the CO<sub>2</sub> emissions of their primary vehicles in the calculation of the average specific CO<sub>2</sub> emissions of point 2.2.;

$V_{sg}$  is the number of new heavy-duty vehicles of the manufacturer in a subgroup  $sg$ ;

$V$  is the number of new heavy-duty vehicles of the manufacturer.

## 2.5. Payload values, passenger numbers and cargo volumes

The average payload value  $PL_{sg}$  of a vehicle of category N or O in a sub-group  $sg$  shall be calculated as follows:

$$PL_{sg} = \sum_{mp} W_{sg,mp} \times PL_{sg,mp}$$

The average passenger number  $PN_{sg}$  of a vehicle of category M in a sub-group  $sg$  shall be calculated as follows:

$$PN_{sg} = \sum_{mp} W_{sg,mp} \times PN_{sg,mp}$$

Where,

$\sum_{mp}$  is the sum over all mission profiles  $mp$

$W_{sg,mp}$ , is the mission profile weight specified in points 2.1.1 to 2.1.3

$PL_{sg,mp}$  is the payload value attributed to the vehicles of category N and O in the sub-group  $sg$  for the mission profile  $mp$ , as defined in points 2.5.1 and 2.5.3.

$PN_{sg,mp}$  is the passenger number attributed to the vehicles of category M in the sub-group  $sg$  for the mission profile  $mp$ , as defined in point 2.5.2.

### 2.5.1. Vehicles of category N.

Payload values  $PL_{sg, mp}$  (in tons) are determined as follows:

| Vehicle sub-group $sg^*$ | Mission profile $mp^{**}$    |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
|--------------------------|------------------------------|------|------------------------------|------|------------------------------|------|----------------|------|-----|------|------|------|-----|------|
|                          | RDL                          | RDR  | LHL                          | LHR  | UDL                          | UDR  | REL            | RER  | LEL | LER  | MUL  | MUR  | COL | COR  |
| <b>53</b>                | As determined in point 3.1.1 |      | Not applicable               |      | As determined in point 3.1.1 |      | Not applicable |      |     |      |      |      |     |      |
| <b>54</b>                |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>1s</b>                |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>1</b>                 |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>2</b>                 |                              |      | As determined in point 3.1.1 |      |                              |      |                |      |     |      |      |      |     |      |
| <b>3</b>                 | Not applicable               |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>4-UD</b>              | 0,9                          | 4,4  | 1,9                          | 14   | 0,9                          | 4,4  | 3,5            | 17,5 | 3,5 | 26,5 | 0,6  | 3,0  | 0,9 | 4,4  |
| <b>4-RD</b>              |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>4-LH</b>              |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>4v</b>                |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>5-RD</b>              | 2,6                          | 12,9 | 2,6                          | 19,3 | 2,6                          | 12,9 | 3,5            | 17,5 | 3,5 | 26,5 | n.a. | n.a. | 2,6 | 12,9 |
| <b>5-LH</b>              |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>5v</b>                |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>9-RD</b>              | 1,4                          | 7,1  | 2,6                          | 19,3 | 1,4                          | 7,1  | 3,5            | 17,5 | 3,5 | 26,5 | 1,2  | 6,0  | 1,4 | 7,1  |
| <b>9-LH</b>              |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>9v</b>                |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>10-RD</b>             | 2,6                          | 12,9 | 2,6                          | 19,3 | 2,6                          | 12,9 | 3,5            | 17,5 | 3,5 | 26,5 | n.a. | n.a. | 2,6 | 12,9 |
| <b>10-LH</b>             |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>10v</b>               |                              |      |                              |      |                              |      |                |      |     |      |      |      |     |      |
| <b>11</b>                | 1,4                          | 7,1  | 2,6                          | 19,3 | 1,4                          | 7,1  | 3,5            | 17,5 | 3,5 | 26,5 | 1,2  | 6,0  | 1,4 | 7,1  |
| <b>12</b>                | 2,6                          | 12,9 | 2,6                          | 19,3 | 2,6                          | 12,9 | 3,5            | 17,5 | 3,5 | 26,5 | n.a. | n.a. | 2,6 | 12,9 |
| <b>16</b>                | Not applicable               |      |                              |      |                              |      |                |      |     |      |      |      | 2,6 | 12,9 |

\* See definitions in point 1.1

\*\* See definitions in point 1.4

Technically permissible maximum payload values  $maxPL_{sg}$  and cargo volumes  $CV_{sg}$  are determined according to point 3.1.1.

2.5.2. Vehicles of category M.

Passenger numbers  $PN_{sg,mp}$ , passenger masses  $PM_{sg,mp}$  and technically permissible maximum passenger numbers  $maxPN_{sg}$  for sub-group  $sg$  and mission profile  $mp$  are determined according to point 3.1.1.

2.5.3. Vehicles of category O.

Payload values  $PL_{sg, mp}$  (in tons) are determined as follows:

| Vehicle sub-group<br>( $sg$ )* | Mission profile ( $mp$ )** |      |     |      |      |      |                       |
|--------------------------------|----------------------------|------|-----|------|------|------|-----------------------|
|                                | RDL                        | RDR  | LHL | LHR  | UDL  | UDR  | REL, RER,<br>LEL, LER |
| 111, 111V, 112, 112V, 113      | 1,5                        | 7,5  | 1,5 | 11,2 | n.a. | n.a. | n.a.                  |
| 121, 121V, 123, 123V, , 125    | 2,2                        | 11,2 | 2,2 | 16,8 | n.a. | n.a. | n.a.                  |
| 122, 122V, 124, 124V, 126      | 2,4                        | 12,2 | 2,4 | 18,3 | n.a. | n.a. | n.a.                  |
| 131, 131v, 132, 132v, 133      | 2,6                        | 12,9 | 2,6 | 19,3 | n.a. | n.a. | n.a.                  |
| 421, 421v, 422, 422v, 423      | 2,6                        | 12,9 | 2,6 | 19,3 | n.a. | n.a. | n.a.                  |
| 431, 431v, 432, 432v, 433      | 2,6                        | 12,9 | 2,6 | 19,3 | n.a. | n.a. | n.a.                  |
| 611, 612                       | 1,2                        | 6,1  | 1,2 | 9,2  | n.a. | n.a. | n.a.                  |
| 611v, 612v                     | 1,2                        | 6,1  | 1,2 | 9,2  | n.a. | n.a. | n.a.                  |
| 621, 621v, 623, 623v           | 1,3                        | 6,3  | 1,3 | 9,5  | n.a. | n.a. | n.a.                  |
| 622, 622V, 624, 624V,          | 2,6                        | 12,9 | 2,6 | 19,3 | n.a. | n.a. | n.a.                  |

|  |            |             |            |             |             |             |             |
|--|------------|-------------|------------|-------------|-------------|-------------|-------------|
| <b>625</b>                               |            |             |            |             |             |             |             |
| <b>631, 631v,<br/>632, 632v,<br/>633</b> | <b>2,6</b> | <b>12,9</b> | <b>2,6</b> | <b>19,3</b> | <b>n.a.</b> | <b>n.a.</b> | <b>n.a.</b> |

\* See definitions in point 1.1

\*\* See definitions in point 1.4

Technically permissible maximum payload values  $maxPL_{sg}$  and cargo volumes  $CV_{sg}$  are determined according to point 3.1.1.

## 2.6. Calculation of the mileage and payload or passenger-number weighting factor

The mileage and payload (passenger) weighting factor ( $MPW_{sg}$ ) of a sub-group  $sg$  is defined as the product of the annual mileage specified in point 2.6.1 and the payload and passenger-number values for the sub-group specified in points 2.5.1, 2.5.2 and 2.5.3 for vehicle categories N, M and O, respectively, normalised to the respective value for sub-group 5-LH, and shall be calculated as follows:

$$MPW_{sg} = \frac{(AM_{sg} \times PL_{sg})}{(AM_{5-LH} \times PL_{5-LH})} \quad (\text{for category N and O vehicles})$$

$$MPW_{sg} = \frac{(AM_{sg} \times PN_{sg})}{(AM_{5-LH} \times PL_{5-LH})} \quad (\text{for category M vehicles})$$

Where,

$AM_{sg}$  is the annual mileage specified in point 2.6.1, 2.6.2 and 2.6.3 for the vehicles in the respective sub-group;

$AM_{5-LH}$  is the annual mileage specified for the sub-group 5-LH in 2.6.1;

$PL_{sg}$  is as determined in points 2.5.1 and 2.5.3;

$PN_{sg}$  is as determined in point 2.5.2;

$PL_{5-LH}$  is the average payload value for the sub-group 5-LH as determined in point 2.5.1.

### 2.6.1. Annual mileages for vehicles of category N

| <b>Vehicle sub-group (sg)*</b> | <b>Annual mileage <math>AM_{sg}</math> (in km)</b> |
|--------------------------------|--|
| 53                             | 58 000   |
| 54                             | 58 000   |
| 1s                             | 58 000   |
| 1                              | 58 000   |
| 2                              | 60 000   |
| 3                              | 60 000   |
| 4-UD                           | 60 000   |
| 4-RD                           | 78 000   |
| 4-LH                           | 98 000   |
| 4v                             | 60 000   |



|       |         |
|-------|---------|
| 5-RD  | 78 000  |
| 5-LH  | 116 000 |
| 5v    | 60 000  |
| 9-RD  | 73 000  |
| 9-LH  | 108 000 |
| 9v    | 60 000  |
| 10-RD | 68 000  |
| 10-LH | 107 000 |
| 10v   | 60 000  |
| 11    | 65 000  |
| 12    | 67 000  |
| 16    | 60 000  |

\* See definitions in point 1.1

### 2.6.2. Annual mileages for vehicles of category M

| Vehicle sub-group<br>( <i>sg</i> )* | Annual mileage<br>AM <sub>sg</sub> (in<br>km) |
|-------------------------------------|---|
| 31-LF                               | 60 000  |
| 31-L1                               | 60 000  |
| 31-L2                               | 60 000  |
| 31-DD                               | 60 000  |
| 32-C2                               | 96 000  |
| 32-C3                               | 96 000  |
| 32-DD                               | 96 000  |
| 33-LF                               | 60 000  |
| 33-L1                               | 60 000  |
| 33-L2                               | 60 000  |
| 33-DD                               | 60 000  |
| 34-C2                               | 96 000  |
| 34-C3                               | 96 000  |
| 34-DD                               | 96 000  |

|       |        |
|-------|--------|
| 35-FE | 60 000 |
| 39-FE | 60 000 |

\* See definitions in point 1.1

### 2.6.3. Annual mileages for vehicles of category O

| Vehicle sub-group<br>(sg)*   | Annual mileage<br>AM <sub>sg</sub> (in km) |
|--|--|
| 111,<br>111V,112,<br>112V, 113   | 52 000                                     |
| 121, 121V,<br>122, 122V,<br>123, 123V,<br>124, 124V,<br>125, 126,<br>131, 131v,<br>132, 132v,<br>133 | 77 000                                     |
| 421, 421v,<br>422, 422v,<br>423, 431,<br>431v, 432,<br>432v, 433                                     | 68 000                                     |
| 611, 612,<br>611v, 612v,<br>621, 623,<br>621v, 623v  | 40 000                                     |
| 622, 622V,<br>624, 624V,<br>625, 631,<br>631v, 632,<br>632v, 633                                     | 68 000                                     |

\* See definitions in point 1.1

### 2.7. Average specific CO<sub>2</sub> emissions of manufacturers, as referred to in Article 4

For each manufacturer the following average specific CO<sub>2</sub> emissions shall be calculated:

2.7.1. For the reporting periods 2019 to 2029:

$$CO2(2025) = ZLEV \times \sum_{sg} share_{sg} \times MPW_{sg} \times avgCO2_{sg}$$

2.7.2. For the reporting periods as from 2025:

$$CO2(NO) = \sum_{sg} share_{sg} \times MPW_{sg} \times avgCO2_{sg}$$

$$CO2(MCO2) = \sum_{sg} share_{sg} \times MPW_{sg} \times [avgCO2_{sg} \times (1 - pv_{sg}) + avgCO2p_{sg} \times pv_{sg}]$$

$$CO2(MZE) = \sum_{sg} share_{sg} \times MPW_{sg} \times (1 - zev_{sg}) \times rCO2_{sg}$$

$$CO2(M) = CO2(MCO2) + CO2(MZE)$$

Where,

$\sum_{sg}$  is the sum is over those sub-groups that are included in the calculation of the particular average specific CO<sub>2</sub> emissions according to point 4.2;

$ZLEV$  is as determined in point 2.3;

$share_{sg}$  is as determined in point 2.4;

$zev_{sg}$  is as determined in point 2.4;

$pv_{sg}$  is as determined in point 2.4;

$MPW_{sg}$  is as determined in point 2.6;

$avgCO2_{sg}$  is as determined in point 2.2;

$avgCO2p_{sg}$  is as determined in point 2.2;

$rCO2_{sg}$  is as determined in point 3.1.2.

### 3. CALCULATION OF THE REFERENCE VALUES

#### 3.1. Reference values

The following reference values shall be calculated on the basis of all new heavy-duty vehicles of all manufacturers for the reference period applicable to the sub-group  $sg$  according to point 3.2.

3.1.1. For each vehicle sub-group  $sg$ , payload  $PL_{sg,mp}$ , passenger number  $PN_{sg,mp}$ , passenger mass  $PM_{sg,mp}$ , technically permissible maximum payload  $maxPL_{sg}$ , technically permissible maximum passenger number  $maxPN_{sg}$  and cargo volume  $CV_{sg}$  values shall be calculated as follows:

$$PL_{sg,mp} = \frac{\sum_v PL_{v,mp}}{rV_{sg}} \quad (\text{for vehicles of category N})^*$$

$$PN_{sg,mp} = \frac{\sum_v PN_{v,mp}}{rV_{sg}} \quad (\text{for vehicles of category M})^*$$

$$PM_{sg,mp} = \frac{\sum_v PM_{v,mp}}{rV_{sg}} \quad (\text{for vehicles of category M})^*$$

$$maxPL_{sg} = \frac{\sum_v maxPL_v}{rV_{sg}} \quad (\text{for vehicles of category N})$$

$$maxPN_{sg} = \frac{\sum_v maxPN_v}{rV_{sg}} \quad (\text{for vehicles of category M})$$

$$CV_{sg} = \frac{\sum_v CV_v}{rV_{sg}} \quad (\text{for vehicles of category O})$$

(\*only for vehicle sub-groups, for which no explicit values for  $PL_{sg,mp}$  or  $PN_{sg,mp}$  are provided in point 2.5)

3.1.2. Reference CO<sub>2</sub> emissions  $rCO2_{sg}$  referred to in Article 3 shall be calculated as follows:

$$rCO2_{sg} = \frac{\sum_v(CO2_v/PL_{sg})}{rV_{sg}} \text{ (for vehicles of category N and O)}$$

$$rCO2_{sg} = \frac{\sum_v(CO2_v/PN_{sg})}{rV_{sg}} \text{ (for vehicles of category M)}$$

$$rCO2p_{sg} = \frac{\sum_v(CO2p_v/PN_{sg})}{rV_{sg}} \text{ (for vehicles of category M)}$$

Where,

$\Sigma_v$  is the sum over all new heavy-duty vehicles in the sub-group  $sg$  registered in the reference period applicable to  $sg$  according to point 3.2;

$CO2_v$  are the specific CO<sub>2</sub> emissions of the new heavy-duty vehicle  $v$  as determined in accordance with point 2.1, if applicable adjusted pursuant to Annex II;

$CO2p_v$  are the specific CO<sub>2</sub> emissions of the primary vehicle of the new-heavy duty vehicle  $v$  as determined in accordance with point 2.1, if applicable adjusted pursuant to Annex II;;

$rV_{sg}$  is the number of all new heavy-duty vehicles in the sub-group  $sg$  registered in the reference period applicable to  $sg$  according to point 3.2;

$PL_{sg}$  is the average payload of vehicles in the sub-group  $sg$  as determined in point 2.5;

$PN_{sg}$  is the average passenger number of vehicles in the sub-group  $sg$  as determined in point 2.5;

$PL_{v,mp}$  is the payload of vehicle  $v$  in the mission profile  $mp$ , as determined from the data reported according to Articles 13a and 13b ;

$PN_{v,mp}$  is the passenger number of vehicle  $v$  in the mission profile  $mp$  as determined from the data reported according to Articles 13a and 13b;

$PM_{v,mp}$  is the passenger mass of vehicle  $v$  in the mission profile  $mp$  as determined from the data reported according to Articles 13a and 13b;

$maxPL_v$  is the technically permissible maximum payload of vehicle  $v$  as determined from the data reported according to Articles 13a and 13b;

$maxPN_v$  is the technically permissible maximum passenger number of vehicle  $v$  as determined from the data reported according to Articles 13a and 13b;

$CV_v$  is the cargo volume of vehicle  $v$  as determined from the data reported according to Articles 13a and 13b.

### 3.2. Reference periods applicable to sub-groups

The following reporting periods shall be applied as reference periods to vehicle sub-groups:

| Vehicle sub-group $sg$                                 | Reporting period of the year applicable as reference period |
|--|---|
| 4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH | 2019  |
| All others   | 2025  |

#### 3.2.1. If in the reference period as specified in point 3.2 in a sub-group $sg$ the number of new heavy-duty vehicles of all manufacturers is less than 50 the following rules shall apply:

The average specific CO<sub>2</sub> emissions  $avgCO_{2sg}$  and  $avgCO_{2p_{sg}}$  as provided for in point 2.2 and the reference CO<sub>2</sub> emissions  $rCO_{2sg}$  and  $rCO_{2p_{sg}}$  as provided for in point 3.1.2 shall be set to “0” for all manufacturers in the sub-group  $sg$  for the purpose of calculating the average specific CO<sub>2</sub> emissions according to point 2.7 and the specific CO<sub>2</sub> emissions targets according to point 4.1 for the reporting periods of the years  $< Y + 5$ . Here  $Y$  is the year of the first reporting period in which the number of new heavy-duty vehicles of all manufacturers in the sub-group  $sg$  is at least 50.

To obtain the reference CO<sub>2</sub> emissions  $rCO_{2sg}$  and  $rCO_{2p_{sg}}$  for the purpose of calculating the specific emissions target according to point 4, first the corresponding entities provided for in point 3.1.2 shall be calculated for the reporting period of the year  $Y$  instead of for the reference period applicable to the sub-group  $sg$  according to point 3.2.

The resulting values shall then be divided by

- the target factor  $RET_{sg,Y}$ , as defined in point 5.1.1, for obtaining reference CO<sub>2</sub> emissions  $rCO_{2sg}$ ,
- the target factor  $RET_{p_{sg},Y}$ , as defined in point 5.1.1, for obtaining reference CO<sub>2</sub> emissions  $rCO_{2p_{sg}}$ .

## 4. CALCULATION OF THE SPECIFIC EMISSION TARGET OF A MANUFACTURER REFERRED TO IN ARTICLE 6

### 4.1. Specific emission targets

For each manufacturer the following specific emission targets  $T$  shall be calculated as follows:

#### 4.1.1. For the reporting periods of the years from 2025 to 2029:

$$T(2025) = \sum_{sg} share_{sg} \times MPW_{sg} \times (1 - rf_{sg}) \times rCO_{2sg}$$

4.1.2. For the reporting periods of the years as from 2030:

$$T(NO) = \sum_{sg} share_{sg} \times MPW_{sg} \times (1 - rf_{sg}) \times rCO2_{sg}$$

$$T(MCO2) = \sum_{sg} share_{sg} \times MPW_{sg} \times [(1 - pv_{sg}) \times (1 - rf_{sg}) \times rCO2_{sg} + pv_{sg} \times (1 - rfp_{sg}) \times rCO2p_{sg}]$$

$$T(MZE) = \sum_{sg} share_{sg} \times MPW_{sg} \times (1 - zevM_{sg}) \times rCO2_{sg}$$

$$T(M) = T(MCO2) + T(MZE)$$

Where,

|              |   |
|--------------|---|
| $\sum_{sg}$  | is the sum over those sub-groups that are included in the calculation of the particular specific emissions target according to point 4.2;   |
| $share_{sg}$ | is as determined in point 2.4;  |
| $MPW_{sg}$   | is as determined point 2.6;   |
| $rf_{sg}$    | is the CO <sub>2</sub> reduction target <b>applicable in</b> the specific <b>reporting period</b> to new heavy duty vehicles in sub-group <i>sg</i> as provided for in point 4.3;                     |
| $rfp_{sg}$   | is the CO <sub>2</sub> reduction target <b>applicable in</b> the specific <b>reporting period</b> to primary vehicles of new heavy-duty vehicles in sub-group <i>sg</i> as provided for in point 4.3; |
| $zevM_{sg}$  | is the zero-emission vehicles mandate <b>applicable in</b> the specific <b>reporting period</b> to vehicles in sub-group <i>sg</i> as provided for in point 4.3;                                      |
| $rCO2_{sg}$  | is as determined in point 3.1.2;  |
| $rCO2p_{sg}$ | is as determined in point 3.1.2;  |
| $pv_{sg}$    | is as determined in point 2.4.  |

4.2. Vehicle sub-groups included in the calculation of average specific CO<sub>2</sub> emissions and specific emissions targets of manufacturers

The following sub-groups *sg* shall be included in the calculation of the specific CO<sub>2</sub> emissions  $CO2(X)$ , specific emissions targets  $T(X)$  and CO<sub>2</sub> emissions trajectory  $ET(X)_Y$ :

| X = 2025   | X= NO  | X = MCO2  | X= MZE   |
|--|--|---|--|
| vehicle sub-groups, subject to CO <sub>2</sub> emissions targets according to Article 3a paragraph 1 (a) | sub-groups of transport of goods vehicles, subject to CO <sub>2</sub> emissions targets according to Article 3a paragraphs 1(b), 1(c) and 1(d) and | sub-groups of transport of persons vehicles, subject to CO <sub>2</sub> emissions targets according to Article 3a paragraphs 1(b), 1(c) and | sub-groups of transport of persons vehicles, subject to zero-emissions vehicle targets according to Article 3b |

|  |   |   |  |
|--|---|---|--|
|  | <b>paragraph 3</b>  | <b>1(d)</b>                               |  |
| 4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH | All vehicle sub-groups referred to in points 1.1.1 and 1.1.3. | 32-C2, 32-C3, 32-DD, 34-C2, 34-C3, 34-DD, | 31-LF, 31-L1, 31-L2, 31-DD, 33-LF, 33-L1, 33-L2, 33-DD, 35-FE, 39-FE |

#### 4.3. CO<sub>2</sub> reduction targets and zero-emissions vehicle mandates

4.3.1. The following CO<sub>2</sub> emissions reduction targets  $rf_{sg}$  and  $rfp_{sg}$  pursuant to Article 3a shall apply to vehicles in the sub-group  $sg$  for different reporting periods:

| CO <sub>2</sub> reduction targets $rf_{sg}$ and $rfp_{sg}$          |   |                               |             |             |              |
|---|---|-------------------------------|-------------|-------------|--------------|
| Sub-groups $sg$   |   | Reporting period of the years |             |             |              |
|   |   | 2025 – 2029                   | 2030 – 2034 | 2035 – 2039 | As from 2040 |
| <b>Medium lorries</b>   | <b>53, 54</b>   | <b>0</b>                      | <b>43%</b>  | <b>64%</b>  | <b>90%</b>   |
| <b>Heavy lorries &gt; 7,4t</b>                                      | <b>1s, 1, 2, 3</b>  | <b>0</b>                      | <b>43%</b>  | <b>64%</b>  | <b>90%</b>   |
| <b>Heavy lorries &gt; 16 t with 4x2 and 6x4 axle configurations</b> | <b>4-UD, 4-RD, 4-LH, 5-RD, 5-LH, 9-RD, 9-LH, 10-RD, 10-LH</b> | <b>15%</b>                    | <b>43%</b>  | <b>64%</b>  | <b>90%</b>   |
| <b>Heavy lorries &gt; 16 t with special axle configurations</b>     | <b>11, 12, 16</b>   | <b>0</b>                      | <b>43%</b>  | <b>64%</b>  | <b>90%</b>   |
| <b>Coaches (<math>rf_{sg}</math>)</b>                               | <b>32-C2, 32-C3, 32-DD, 34-C2, 34-C3, 34-DD</b>               | <b>0</b>                      | <b>43%</b>  | <b>64%</b>  | <b>90%</b>   |
| <b>Primary vehicles of coaches (<math>rfp_{sg}</math>)</b>          | <b>32-C2, 32-C3, 32-DD, 34-C2, 34-C3, 34-DD</b>               | <b>0</b>                      | <b>43%</b>  | <b>64%</b>  | <b>90%</b>   |
| <b>Trailers</b>   |   | <b>0</b>                      | <b>7,5%</b> | <b>7,5%</b> | <b>7,5%</b>  |
| <b>Semi-trailers</b>  |   | <b>0</b>                      | <b>15%</b>  | <b>15%</b>  | <b>15%</b>   |

For reporting periods of the years before 2025, all CO<sub>2</sub> reduction targets  $rf_{sg}$  and  $rfp_{sg}$  shall be 0.

4.3.2. The following zero-emission vehicle targets  $zevM_{sg}$  pursuant to Article 3b are applicable to vehicles in the sub-group  $sg$  for different reporting periods:

| Zero-emission vehicle mandates $zevM_{sg}$ |              |   |                                    |             |              |             |             |
|--|--------------|---|------------------------------------|-------------|--------------|-------------|-------------|
| Sub-groups<br>$sg$                         |              | Reporting period of the years                   |                                    |             |              |             |             |
|  |              | before 2030                                     | 2030 – 2034                        | 2035 – 2039 | As from 2040 |             |             |
| <b>Urban buses</b>                         | <b>heavy</b> | <b>31-LF, 31-DD, 33-L1, 35-FE, 31-L2, 33-L2</b> | <b>31-L1, 33-LF, 33-DD, 39-FE,</b> | <b>0</b>    | <b>100%</b>  | <b>100%</b> | <b>100%</b> |

## 5. EMISSION CREDITS AND DEBTS REFERRED TO IN ARTICLE 7

### 5.1. CO<sub>2</sub> emissions reduction trajectories

#### 5.1.1. Target factors

For each vehicle sub-group  $sg$  and reporting period of a year  $Y$  target factors shall be defined as follows:

$$RET_{sg,Y} = (1 - rf_{sg,uY}) + (rf_{sg,uY} - rf_{sg,lY}) \times (uY - Y) / (uY - lY)$$

$$RETP_{sg,Y} = (1 - rfp_{sg,uY}) + (rfp_{sg,uY} - rfp_{sg,lY}) \times (uY - Y) / (uY - lY)$$

$$ZET_{sg,Y} = (1 - zevM_{sg,uY}) + (zevM_{sg,uY} - zevM_{sg,lY}) \times (uY - Y) / (uY - lY)$$

Where,

$lY, uY$  are the values for the lower year and upper year in the set  $\{rY, 2025, 2030, 2040\}$  defining the smallest interval for which the condition  $lY \leq Y < uY$  holds;

$rY$  is the year of the reference period applicable to the vehicle sub-group  $sg$  according to point 3.2;

$rf_{sg,lY}, rf_{sg,uY}$  are the CO<sub>2</sub> reduction targets of the sub-group  $sg$  for new heavy duty vehicles of the years  $lY$  and  $uY$  according to point 4.3;

$rfp_{sg,lY}, rfp_{sg,uY}$  are the CO<sub>2</sub> reduction targets of the sub-group  $sg$  for primary vehicles of new heavy duty vehicles of the years  $lY$  and  $uY$  according to point 4.3;

$zevM_{sg,lY}, zevM_{sg,uY}$  are the zero emissions vehicle mandates for new heavy duty vehicles of the years  $lY$  and  $uY$  according to point 4.3;

For reporting years  $Y < rY$ , the values of  $RET_{sg,Y}$ ,  $RETP_{sg,Y}$  and  $ZET_{sg,Y}$  shall be set to 1 such that there is no contribution of the vehicle sub-group  $sg$  to the CO<sub>2</sub> emissions trajectory.

#### 5.1.2. CO<sub>2</sub> emissions reduction trajectories

5.1.2.1. Then for each vehicle sub-group  $sg$  and reporting period of a year  $Y$  the following CO<sub>2</sub> emissions reduction trajectories shall be defined:

$$ET_{sg,Y} = RET_{sg,Y} \times rCO2_{sg}$$

$$ETp_{sg,Y} = RETp_{sg,Y} \times rCO2p_{sg}$$



$$ET_{z,sg,Y} = ZET_{sg,Y} \times rCO2_{sg}$$

5.1.2.2. For each manufacturer and reporting periods of a year  $Y$  between 2019 and 2024 the following CO<sub>2</sub> emissions reduction trajectories shall be defined:

$$ET(2025)_Y = \sum_{sg} share_{sg} \times MPW_{sg} \times ET_{sg,Y}$$

5.1.2.3. For each manufacturer and reporting periods of a year  $Y$  between 2025 and 2040 the following CO<sub>2</sub> emissions reduction trajectories shall be defined:

$$ET(NO)_Y = \sum_{sg} share_{sg} \times MPW_{sg} \times ET_{sg,Y}$$

$$ET(MCO2)_Y = \sum_{sg} share_{sg} \times MPW_{sg} \times [(1 - pv_{sg}) \times ET_{sg,Y} + pv_{sg} \times ETp_{sg,Y}]$$

$$ET(MZE)_Y = \sum_{sg} share_{sg} \times MPW_{sg} \times ET_{z,sg,Y}$$

$$ET(M)_Y = ET(MCO2)_Y + ET(MZE)_Y$$

Where,

- $\sum_{sg}$  is the sum over those sub-groups that are included in the calculation of the particular CO<sub>2</sub> emissions trajectory according to point 4.2;
- $share_{sg}$  is the share of new heavy-duty vehicles of the manufacturer in the sub-group  $sg$ , as determined in point 2.4;
- $MPW_{sg}$  is as determined point 2.6;
- $rCO2_{sg}$  is as determined in point 3.1.2;
- $rCO2p_{sg}$  is as determined in point 3.1.2;
- $pv_{sg}$  is the share of new heavy-duty vehicles of the manufacturer within the sub-group  $sg$ , which pursuant to Article 7b shall be accounted for with the CO<sub>2</sub> emissions of their primary vehicles in the calculation of the average specific CO<sub>2</sub> emissions of point 2.2

## 5.2. Calculation of the emission credits and debts in each reporting period

For each manufacturer and each reporting period of the years  $Y$  from 2019 to 2040 the emission credits  $cCO2(X)_Y$  and emission debts  $dCO2(X)_Y$ , ( $X = NO, M$ ), shall be the maximum of the following values and 0 (i.e. emission credits and debts cannot be negative):

|              | 2019 ≤ Y < 2025                         | 2025 ≤ Y < 2030                        | 2030 ≤ Y < 2040                     |
|--------------|---|--|-------------------------------------|
| $cCO2(NO)_Y$ | $[ET(2025)_Y - CO2(2025)_Y] \times V_y$ | $[ET(NO)_Y - CO2(NO)_Y] \times V_y$    | $[ET(NO)_Y - CO2(NO)_Y] \times V_y$ |
| $dCO2(NO)_Y$ | 0                                       | $[CO2(2025)_Y - T(2025)_Y] \times V_y$ | $[CO2(NO)_Y - T(NO)_Y] \times V_y$  |
| $cCO2(M)_Y$  | 0                                       | $[ET(M)_Y - CO2(M)_Y] \times V_y$      | $[ET(M)_Y - CO2(M)_Y] \times V_y$   |
| $dCO2(M)_Y$  | 0                                       | 0                                      | $[CO2(M)_Y - T(M)_Y] \times V_y$    |

Where,

- $ET(X)_Y$  is the manufacturer's emission trajectory in the **reporting period of the** year Y determined in accordance with point 5.1 ( $X = 2025, NO, M$ );
- $CO2(X)_Y$  is the manufacturer's average specific emissions in the **reporting period of the** year Y determined in accordance with point 2.7 ( $X = 2025, NO, M$ );
- $T(X)_Y$  is the manufacturer's specific emission target in the **reporting period of the** year Y determined in accordance with point 4 ( $X = 2025, NO, M$ );
- $V_Y$  is the number of new heavy-duty vehicles of the manufacturer in the **reporting period of the** year Y.

### 5.3. Emission debt limit

For each manufacturer the emission debt limits  $limCO2(X)_Y$  in a reporting period of the year Y are defined as follows:

- $limCO2(NO)_Y = T(2025)_Y \times 0,05 \times V(2025)_Y$  for the reporting periods of the year  $Y < 2030$ ;
- $limCO2(NO)_Y = T(NO)_Y \times 0,05 \times V(NO)_Y$  for the reporting periods of the year  $Y \geq 2030$ ;
- $limCO2(M)_Y = T(M)_Y \times 0,05 \times V(M)_Y$  for the reporting periods of the year  $Y \geq 2030$ .

Where

- $T(X)_Y$  is the manufacturer's specific emission target in the **reporting period of the** year Y determined in accordance with point 4 ( $X = 2025, NO, M$ );
- $V(X)_Y$  is the number of new heavy-duty vehicles of the manufacturer in the **reporting period of the** year Y in the vehicle sub-groups, which are included in the calculation of the specific CO<sub>2</sub> emissions  $CO2(X)$  according to point 4.2 ( $X = 2025, NO, M$ ).

### 5.4. Early emission credits

Emission debts acquired **for the reporting periods of the** year 2025 shall be reduced by an amount corresponding to the emission credits acquired prior to **this reporting period**, which is determined for each manufacturer as follows:

$$redCO2 = \min(dCO2(NO)_{2025}; \sum_{Y=2019}^{2024} cCO2(NO)_Y)$$

Where,

- $\min$  is the minimum of the two values mentioned between the brackets;
- $\sum_{Y=2019}^{2024}$  is the sum over the **reporting periods of the years Y from 2019 to 2024**;
- $dCO2(NO)_Y$  is the emission debts for **reporting period of the year Y** as determined in accordance with point 5.2;
- $cCO2(NO)_Y$  is the emission credits for the **reporting period of the year Y** as determined in accordance with point 5.2;.

**6. DETERMINATION OF A MANUFACTURER'S EXCESS CO<sub>2</sub> EMISSIONS REFERRED TO IN ARTICLE 8(2)**

For each manufacturer and each *reporting period* of the year Y from *the year* 2025 onwards the value of the vehicle category specific excess CO<sub>2</sub> emissions  $exeCO_2(X)_Y$  shall be determined as follows. if the value is positive (X = NO, M). If the following calculations result in a negative value for  $exeCO_2(X)_Y$ , the latter shall be set to 0.

For the *reporting period of* the year 2025:

$$exeCO_2(NO)_{2025} = dCO_2(NO)_{2025} - \sum_{Y=2019}^{2024} cCO_2(NO)_Y - limCO_2(NO)_{2025}$$

For the reporting periods of the years Y from 2026 to 2028, from 2030 to 2033 and from 2035 to 2038:

$$exeCO_2(NO)_Y = \sum_{I=2025}^Y (dCO_2(NO)_I - cCO_2(NO)_I) - \sum_{J=2025}^{Y-1} exeCO_2(NO)_J - redCO_2 - limCO_2(NO)_Y$$

For the reporting periods of the years Y from from 2030 to 2033 and from 2035 to 2038:

$$exeCO_2(M)_Y = \sum_{I=2025}^Y (dCO_2(M)_I - cCO_2(M)_I) - \sum_{J=2030}^{Y-1} exeCO_2(M)_J - limCO_2(M)_Y$$

For the reporting period of the years Y = 2029, 2034 and 2039:

$$exeCO_2(NO)_Y = \sum_{I=2025}^Y (dCO_2(NO)_I - cCO_2(NO)_I) - \sum_{J=2025}^{Y-1} exeCO_2(NO)_J - redCO_2$$

For the reporting period of the years Y = 2034 and 2039:

$$exeCO_2(M)_Y = \sum_{I=2025}^Y (dCO_2(M)_I - cCO_2(M)_I) - \sum_{J=2030}^{Y-1} exeCO_2(M)_J$$

For the reporting periods of the year 2040:

$$exeCO_2(NO)_{2040} = (CO_2(NO)_{2040} - T(NO)_{2040}) \times V_{2040} + \sum_{I=2025}^{2039} (dCO_2(NO)_I - cCO_2(NO)_I) - \sum_{J=2025}^{2039} exeCO_2(NO)_J - redCO_2$$

$$exeCO_2(M)_{2040} = (CO_2(M)_{2040} - T(M)_{2040}) \times V_{2040} + \sum_{I=2025}^{2039} (dCO_2(M)_I - cCO_2(M)_I) - \sum_{J=2030}^{2039} exeCO_2(M)_J$$

For the reporting periods of the years Y > 2040:

$$exeCO_2(NO)_Y = (CO_2(NO)_Y - T(NO)_Y) \times V_Y$$

$$exeCO_2(M)_Y = (CO_2(M)_Y - T(M)_Y) \times V_Y$$

Where,

- $\sum_{Y=2019}^{2024}$  is the sum over the *reporting periods of the years Y from* 2019 to 2024;
- $\sum_{I=2025}^Y$  is the sum over the *reporting periods of the years I from* 2025 to the year Y;
- $\sum_{J=2025}^{Y-1}$  is the sum over the *reporting periods of the years J from* 2025 to the year (Y-1);

$\sum_{I=2025}^{2039}$  is the sum over the *reporting periods of the years I from 2025 to 2039*;

$\sum_{J=2030}^{Y-1}$  is the sum over the reporting periods of the years J from 2030 to the year (Y-1);

$dCO2(X)_Y$  is the emission debts for the *reporting period of the year Y* as determined in accordance with point 5.2 (X = NO, M);

$cCO2(X)_Y$  is the emission credits for the *reporting period of the year Y* as determined in accordance with point 5.2 (X = NO, M);

$limCO2(X)_Y$  is the emission debt limit as determined in accordance with point 5.3 (X = NO, M);

$redCO2(X)$  is the reduction of emission debts of the *reporting period of the year 2025* as determined in accordance with 5.4 (X = NO, M).

In all other cases the value of the excess emissions  $exeCO2(X)_Y$  shall be set to 0 (X = NO, M).

The excess CO2 emissions of the reporting period of the year Y as referred to in Article 8(2) shall be:

$$exeCO2_Y = exeCO2(NO)_Y + exeCO2(M)_Y$$

## ANNEX II

### Adjustment procedures referred to in Article 11

#### **1. ADJUSTMENT OF REFERENCE CO<sub>2</sub> EMISSIONS FOLLOWING AN AMENDMENT OF THE TYPE APPROVAL PROCEDURES REFERRED TO IN ARTICLE 11(2)**

Following an amendment of the type approval procedures referred to in Article 11(2), the reference CO<sub>2</sub> emissions referred to in Point 3.1.2 of Annex I shall be recalculated.

For this purpose the CO<sub>2</sub> emissions in g/km of new heavy-duty vehicles  $v$  of the reference period and of their primary vehicles determined for a mission profile  $mp$ , as referred to in point 2.1 of Annex I, shall be adjusted as follows:

$$CO2_{v,mp} = CO2(RP)_{v,mp} \cdot (\sum_r s_{r,sg} \cdot CO2_{r,mp}) / (\sum_r s_{r,sg} \cdot CO2(RP)_{r,mp})$$

$$CO2p_{v,mp} = CO2p(RP)_{v,mp} \cdot (\sum_r s_{r,sg} \cdot CO2p_{r,mp}) / (\sum_r s_{r,sg} \cdot CO2p(RP)_{r,mp})$$

Where

$\sum_r$  is the sum over all representative vehicles  $r$  for the sub-group  $sg$ ;

$sg$  is the sub-group to which the vehicle  $v$  belongs;

$s_{r,sg}$  is the statistical weight of the representative vehicle  $r$  in the sub-group  $sg$ ;

$CO2(RP)_{v,mp}$  is the specific CO<sub>2</sub> emissions of vehicle  $v$  in g/km, as determined on mission profile  $mp$  and based on the monitoring data of the reference period;

$CO2(RP)_{r,mp}$  is the specific CO<sub>2</sub> emissions of the representative vehicle  $r$  in g/km, as determined on mission profile  $mp$  in accordance with Regulation (EC) No 595/2009 and its implementing measures as it was applied in the reference period;

$CO2_{r,mp}$  is the specific CO<sub>2</sub> emissions of the representative vehicle  $r$ , as determined on mission profile  $mp$  in accordance with Regulation (EC) No 595/2009 and its implementing measures according to the amendments referred to in Article 11(3)(a);

$CO2p(RP)_{v,mp}$  is the specific CO<sub>2</sub> emissions of the primary vehicle of the heavy-duty vehicle  $v$  in g/km, as determined on mission profile  $mp$  and based on the monitoring data of the reference period;

$CO2p(RP)_{r,mp}$  is the specific CO<sub>2</sub> emissions of the primary vehicle of the representative vehicle  $r$  in g/km, as determined in accordance with Regulation (EC) No 595/2009 and its implementing measures as it was applied in the reference period;

$CO2p_{r,mp}$  is the specific CO<sub>2</sub> emissions of the primary vehicle of the representative vehicle  $r$ , as determined on mission profile  $mp$  in accordance with Regulation (EC) No 595/2009 and its implementing measures according to the amendments referred to in Article 11(3)(a).

The specific CO<sub>2</sub> emissions shall be normalised pursuant to Annex III using those values for the parameters referred to in Article 14(1), point (f), that are applicable in the reporting period referred to in Article 11(2), point (a).

The representative vehicles shall be defined in accordance with the methodology referred to in Article 11(3).

## **2. APPLICATION OF THE ADJUSTED REFERENCE CO<sub>2</sub> EMISSIONS ACCORDING TO ARTICLE 11(2)**

If in the reporting period of the year  $Y$  the specific CO<sub>2</sub> emissions of some new heavy-duty vehicles of a manufacturer have been determined with amendments referred to in Article 11(2), the reference CO<sub>2</sub> emissions  $rCO_{2sg}$  of the vehicle sub-group  $sg$  used in points 4 and 5.1 of Annex I shall be calculated as follows:

$$rCO_{2sg} = \sum_i V_{sg,i} / V_{sg} \times rCO_{2sg,i}$$

where:

$\sum_i$  is the sum over

- for  $i = 1$ : the non-amended procedure for determining the CO<sub>2</sub> emissions, for which the initial reference CO<sub>2</sub> emissions without adjustments are applicable and
- for  $i \geq 1$ : all subsequent amendments referred to in Article 11(2).

$V_{sg}$  is the number of new heavy-duty vehicles of the manufacturer in the reporting period of the year  $Y$  and the vehicle sub-group  $sg$ ;

$V_{sg,i}$  is the number of new heavy-duty vehicles of the manufacturer in the reporting period of the year  $Y$  and in the vehicle sub-group  $sg$ , the specific CO<sub>2</sub> emissions of which have been determined with the amendment  $i$ ;

$rCO_{2sg,i}$  are:

- for  $i = 0$ : the non-adjusted reference CO<sub>2</sub> emissions
- for  $i \geq 1$ : the reference CO<sub>2</sub> emissions that have been determined for the vehicle sub-group  $sg$  with the amendment  $i$ .

## ANNEX III

### Normalisation of specific CO<sub>2</sub> emissions of new heavy-duty vehicles referred to in Article 4

#### 1. NORMALISATION OF SPECIFIC CO<sub>2</sub> EMISSIONS

For the purposes of the calculation in point 2.1 of Annex I, the values of CO<sub>2</sub> emissions  $CO_{2,v,mp}$  of vehicles are normalised as follow:

$$CO_{2,v,mp} = reportCO_{2,v,mp} + \Delta CO_{2,v,mp}(m) + \Delta CO_{2cv,v,mp}$$

$$m = PL_{sg,mp} - PL_{v,mp} + cCW_v \quad (\text{for vehicles of categories N and O})$$

$$m = PM_{sg,mp} - PM_{v,mp} + cCW_v \quad (\text{for vehicles of category M})$$

Where

$CO_{2,v,mp}$  are the normalised CO<sub>2</sub> emissions of the vehicle  $v$  determined for a mission profile  $mp$  that are to be considered in the calculation of Annex I point 2.1;

$reportCO_{2,v,mp}$  are the CO<sub>2</sub> emissions in g/km of the primary vehicle of a new heavy-duty vehicle  $v$  determined for a mission profile  $mp$  and reported in accordance with Articles 13a and 13b;

$\Delta CO_{2,v,mp}(m)$  is to be determined in accordance with point 3;

$\Delta CO_{2cv,v,mp}$  is to be determined in accordance with point 4;

$PL_{v,mp}$  is the payload of vehicle  $v$  in the mission profile  $mp$ , as determined from the data reported according to Articles 13a and 13b ;

$PL_{sg,mp}$  is the payload for sub-group  $sg$  and mission profile  $mp$  as provided for in point 2.5 of Annex I;

$PM_{v,mp}$  is the passenger mass of vehicle  $v$  in the mission profile  $mp$ , as determined from the data reported according to Articles 13a and 13b;

$PM_{sg,mp}$  is the passenger mass for sub-group  $sg$  and mission profile  $mp$  as provided for in point 2.5 of Annex I;

$cCW_v$  is the correction of the curb weight of the vehicle  $v$  according to point 2.

#### 2. CURB WEIGHT NORMALISATION

Since the transport utility of a vehicle increases with its technically permissible maximum payload or passenger number, but for technical reasons higher values for these parameters are correlated with higher curb weights and therefore higher CO<sub>2</sub> emissions, the following correction of the curb weight of a vehicle  $v$  in sub-group  $sg$  for the purpose of the normalisation of its specific CO<sub>2</sub> emissions according to point 1 shall be applied:

$$cCW_v = a_{sg} \cdot (maxPL_{sg} - maxPL_v) \quad \text{for vehicles of category N and O;}$$

$$cCW_v = a_{sg} \cdot (maxPN_{sg} - maxPN_v) \quad \text{for vehicles of category M;}$$

Where

- $a_{sg}$  is a linear coefficient determined according to point 2.1 for the reporting period of the vehicle  $v$ ;
- $maxPL_v$  is the technically permissible maximum payload of vehicle  $v$  as determined from the data reported according to Articles 13a and 13b;
- $maxPN_v$  is the technically permissible maximum passenger number of vehicle  $v$  as determined from the data reported according to Articles 13a and 13b;
- $maxPL_{sg}$  is the technically permissible maximum payload of vehicle sub-group  $sg$  determined according to point 2.5 of Annex I;
- $maxPN_{sg}$  is the technically permissible maximum passenger number of vehicle sub-group  $sg$  determined according to point 2.5 of Annex I.

## 2.1. Determination of normalisation parameters

For each reporting period the parameters  $a_{sg}$  and  $b_{sg}$  shall be determined with a linear regression analysis of the correlation of the values of  $CW_v$  with the values of  $maxPL_v$  (category N and O vehicles) and  $maxPN_v$  (category M vehicles), considering all newly registered vehicles  $v$  in the sub-group  $sg$ :

$$CW_v \approx a_{sg} \cdot maxPL_v + b_{sg} \quad \text{for vehicles of category N and O;}$$

$$CW_v \approx a_{sg} \cdot maxPN_v + b_{sg} \quad \text{for vehicles of category M.}$$

Where

- $CW_v$  is the curb weight of vehicle  $v$ , as determined from the data reported according to Articles 13a and 13b; if no precise value is available it may be approximated by the corrected actual mass of the vehicle  $v$
- $maxPL_v$  is the technically permissible maximum payload of vehicle  $v$  as determined from the data reported according to Articles 13a and 13b;
- $maxPN_v$  is the technically permissible maximum passenger number of vehicle  $v$  as determined from the data reported according to Articles 13a and 13b;.

## 3. CHANGE OF CO<sub>2</sub> EMISSIONS FOR CHANGE IN TOTAL VEHICLE MASS

The ex-post change of CO<sub>2</sub> emissions of a vehicle  $v$  to be determined for a mission profile  $mp$  due to an ex-post change in the total mass to be attributed to the vehicle for the determination of CO<sub>2</sub> emissions is defined by the following linear approximation:

$$\Delta CO2_{v,mp}(m) = m \cdot (CO2_{v,r} - CO2_{v,l}) / (Mr - Ml)$$

Where:



|              |   |
|--------------|---|
| $m$          | is the change of total mass attributed to the vehicle $v$ for the determination of its CO <sub>2</sub> emissions;   |
| $CO_{2,v,r}$ | are the CO <sub>2</sub> emissions of the vehicle $v$ in g/km, without the change of mass, determined for the same mission profile $mp$ , representative loading conditions; |
| $CO_{2,v,l}$ | are the CO <sub>2</sub> emissions of the vehicle $v$ in g/km, without the change of mass, determined for the same mission profile $mp$ , low loading conditions;            |
| $Mr$         | is the total vehicle mass in simulation, without the change of mass, for the same mission profile $mp$ , representative loading conditions;                                 |
| $MI$         | is the total vehicle mass in simulation, without the change of mass, for the same mission profile $mp$ , low loading conditions.  |

#### 4. NORMALISATION FOR DIFFERENT CARGO VOLUMES

Category O vehicles within the same sub-group have different cargo volumes. Since the transport utility of a vehicle increases with the cargo volume, but for technical reasons such increase is also correlated with higher CO<sub>2</sub> emissions, the following correction of the CO<sub>2</sub> emissions of a vehicle  $v$  in sub-group  $sg$  shall be applied:

$$\Delta CO_{2cv_{v,mp}} = a_{sg,mp} \cdot (CV_{sg} - CV_v)$$

Where

|             |  |
|-------------|--|
| $a_{sg,mp}$ | is a linear coefficient determined according to point 4.1 for the reporting period of the vehicle $v$ ;    |
| $CV_v$      | is the cargo volume of vehicle $v$ as determined from the data reported according to Articles 13a and 13b; |
| $CV_{sg}$   | is the cargo volume of vehicle sub-group $sg$ determined according to point 2.5 of Annex I.                |

For vehicle of categories N and M the correction of CO<sub>2</sub> emissions  $\Delta CO_{2cv_{v,mp}}$  shall be 0.

##### 4.1. Determination of normalisation parameters

For each reporting period and mission profile the parameters  $a_{sg,mp}$  and  $b_{sg,mp}$  shall be determined with a linear regression analysis of the correlation of the values of  $[reportCO_{2,v,mp} + \Delta CO_{2,v,mp}(m)]$  with the values of  $CV_v$ , considering all newly registered vehicles  $v$  in the sub-group  $sg$ :

$$reportCO_{2,v,mp} + \Delta CO_{2,v,mp}(m) \approx a_{sg,mp} \cdot CV_v + b_{sg,mp}$$

Where

|        |  |
|--------|--|
| $CV_v$ | is the cargo volume of vehicle $v$ as determined from the data reported according to Articles 13a and 13b; |
|--------|--|

$reportCO2_{v,mp}$  ,  $\Delta CO2_{v,mp}(m)$  are as defined in point 1.'

## **ANNEX II**

### *ANNEX IV*

#### **Rules on data to be monitored and reported as referred to in Articles 13a and 13b**

##### **PART A: DATA TO BE MONITORED AND REPORTED BY MEMBER STATES**

- (a) vehicle identification numbers of all new heavy-duty vehicles as referred to in Article 2 that are registered in the Member State territory;
- (b) manufacturer name;
- (c) make (trade name of manufacturer);
- (d) the code for the bodywork as specified in entry 38 of the certificate of conformity, including, where applicable, the supplementing digits referred to in Annex I Appendix 2 to Regulation (EU) 2018/858;
- (e) in the case of the heavy-duty vehicles referred to in Article 2, first paragraph, point (a) or (b), the information on the powerplant specified in entries 23, 23.1 and 26 of the certificate of conformity;
- (f) the maximum speed of the vehicle as specified in entry 29 of the certificate of conformity;
- (g) the stage of completion, as indicated in the chosen model of the certificate of conformity in accordance with Annex VIII, point 2 to Commission Implementing Regulation (EU) 2020/683;
- (h) the vehicle category as specified in entry 0.4 of the certificate of conformity;
- (i) the number of axles, as specified in entry 1 of the certificate of conformity;
- (j) the technically permissible maximum laden mass, as specified in entry 16.1 of the certificate of conformity;
- (k) the imprint of the cryptographic hash of the manufacturer's records file as specified in entry 49.1 of the certificate of conformity; for vehicles registered until 30 June 2025 Member States may report only the first 8 characters of the cryptographic hash;
- (l) the specific CO<sub>2</sub> emissions as specified in entry 49.5 of the certificate of conformity;
- (m) the average payload value as specified in entry 49.6 of the certificate of conformity;
- (n) the date of registration;
- (o) for special purpose vehicles their designation as specified in entry 51 of the certificate of conformity;
- (p) for vehicles approved under Article 2(3)(b) of Regulation 2018/858, the information that the vehicle was designed and constructed or adapted for use by civil protection fire services and forces responsible for maintaining public order;
- (q) for vehicles registered for use by civil protection, fire services or forces responsible for maintaining public order or for use by the armed services, the confirmation that the vehicle is registered for use by civil protection, fire services or forces responsible for maintaining public order or for use by the armed services and that it fulfils the conditions set out in Article 2 paragraph 5 of this Regulation. For all vehicles including individually approved vehicles, the corresponding information shall be the information as to be provided in the EU certificate of conformity or EU individual vehicle approval certificate or the national individual approval certificate in accordance with the templates laid down in

Commission Implementing Regulation (EU) 2020/683<sup>1</sup> regardless of any national exemptions applicable under Article 45(1) of Regulation (EU) 2018/858.

## PART B: DATA TO BE REPORTED BY MANUFACTURERS AND OTHER ENTITIES

In accordance with Article 13b, each reporter shall report the following data for those vehicles, for which it is obliged to produce a Manufacturer's Records File (MRF) or Vehicle Information File (VIF) according to the provisions of Regulations 2017/2400 (EU) and Commission Implementing Regulation (EU) 2022/1362<sup>2</sup>.

For vehicles referred to in Part A, points (p) and (q) of Annex IV the manufacturer referred to in Article 7a shall also inform the Commission in accordance with Article 2(4) and (5), if the vehicle which would otherwise be exempted from the obligations laid down in Article 3a, shall not be exempted from those obligations.

| Vehicle categories / sub-groups <sup>3</sup> | Reporters   |   |   |   |
|--|---|---|---|---|
|  | Primary vehicle manufacturer <sup>(1)</sup>   | Interim vehicle manufacturer <sup>(2)</sup> | Vehicle manufacturer  | Designated technical service <sup>(8)</sup>       |
| <b>N / all</b>                               | Not applicable  | Not applicable                              | – MRF <sup>(4)</sup><br>– Additional information*   | Not applicable                                    |
| <b>M / all</b>                               | – VIF <sup>(4) (5)</sup><br>– MRF <sup>(4) (6)</sup><br>– Additional information* of the primary vehicle. | Not applicable                              | – VIF <sup>(4) (7)</sup><br>– MRF <sup>(4) (7)</sup><br>– Additional information* of the complete or completed vehicle. | Not applicable                                    |
| <b>O / all</b>                               | Not applicable  | Not applicable                              | – MRF <sup>(9)</sup><br>– Additional information*   | – MRF <sup>(9)</sup><br>– Additional information* |

<sup>(1)</sup> Article 3(29) of Commission Regulation (EU) 2017/2400.

<sup>(2)</sup> Article 3(31) of Commission Regulation (EU) 2017/2400

<sup>1</sup> Commission Implementing Regulation (EU) 2020/683 of 15 April 2020 implementing Regulation (EU) 2018/858 of the European Parliament and of the Council with regards to the administrative requirements for the approval and market surveillance of motor vehicles and their trailers, and of systems, components and separate technical units intended for such vehicles, OJ L 163 of 26.5.2020, p.1.

<sup>2</sup> Commission Implementing Regulation (EU) 2022/1362 of 1 August 2022 implementing Regulation (EC) No 595/2009 of the European Parliament and of the Council as regards the performance of heavy-duty trailers with regard to their influence on the CO2 emissions, fuel consumption, energy consumption and zero emission driving range of motor vehicles and amending Implementing Regulation (EU) 2020/683 (OJ L 205, 5.8.2022, p. 145.

- (3) Article 3(4a) of Commission Regulation (EU) 2017/2400  
(4) Article 9(2) of Commission Regulation (EU) 2017/2400  
(5) Point 2.3 of Annex I to Commission Regulation (EU) 2017/2400  
(6) Point 2.4 of Annex I to Commission Regulation (EU) 2017/2400  
(7) Point 2.7.5 of Annex I to Commission Regulation (EU) 2017/2400  
(8) Article 8(6) of Commission Implementing Regulation (EU) 2022/1362  
(9) Article 8(7) of Commission Implementing Regulation (EU) 2022/1362

**\*Additional Information:**

| No | Monitoring parameter  | Source  | Applicable to vehicles  |
|----|---|---|---|
| 15 | Make (trade name of manufacturer)                                 |   | All   |
| 24 | Name and address of transmission manufacturer                     | Point 0.4 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex VI to Regulation (EU) 2017/2400            | Category N;<br>Category M: primary vehicle only;                |
| 25 | Make (trade name of transmission manufacturer)                    | Point 0.1 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex VI to Regulation (EU) 2017/2400            | Category N;<br>Category M: primary vehicle only;                |
| 32 | Name and address of axle manufacturer                             | Point 0.4 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex VII to Regulation (EU) 2017/2400           | Category N;<br>Category M: primary vehicle only;<br>Category O; |
| 33 | Make (trade name of axle manufacturer)                            | Point 0.1 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex VII to Regulation (EU) 2017/2400           | Category N;<br>Category M: primary vehicle only;<br>Category O; |
| 39 | Name and address of tyre manufacturer                             | Point 1 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex X to Regulation (EU) 2017/2400               | Category N;<br>Category M: primary vehicle only;<br>Category O; |
| 40 | Make (trade name of tyre manufacturer)                            | Point 3 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex X to Regulation (EU) 2017/2400               | Category N;<br>Category M: primary vehicle only;<br>Category O; |
| 72 | Number of license to operate the simulation tool                  |   | All   |
| 75 | CO <sub>2</sub> mass emission of the engine over WHTC (8) (g/kWh) | Point 1.4.2 of the addendum to Appendix 5, or point 1.4.2 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable | Category N;<br>Category M: primary vehicle only;                |
| 76 | Fuel consumption of the engine over WHTC (g/kWh)                  | Point 1.4.2 of the addendum to Appendix 5, or point 1.4.2 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable | Category N;<br>Category M: primary vehicle only;                |

|     |   |   |  |
|-----|---|---|--|
| 77  | CO2 mass emission of the engine over WHSC (9) (g/kWh)   | Point 1.4.1 of the addendum to Appendix 5, or point 1.4.1 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable | Category N;<br>Category M: primary vehicle only; |
| 78  | Fuel consumption of the engine over WHSC (g/kWh)  | Point 1.4.1 of the addendum to Appendix 5, or point 1.4.1 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable | Category N;<br>Category M: primary vehicle only; |
| 101 | For vehicles with a date of simulation as of 1 July 2020, the type-approval number of the engine  | Point 1.2.1. of addendum to Appendix 5, 6 or 7 to Annex I to Regulation (EU) No 582/ 2011, whichever is applicable  | Category N;<br>Category M: primary vehicle only; |
| 102 | For vehicles with a date of simulation as of 1 July 2021, the comma separated values file of the same name as the job file and with an extension.vsum comprising aggregated results per simulated mission profile and payload condition | File generated by the simulation tool referred to in Article 5(1)(a) of Regulation (EU) 2017/2400 in its graphical user interface (GUI) version             | 'sum exec data file'                             |

**PART C: AIR DRAG VALUE (CDXA) RANGES FOR THE PURPOSE OF PUBLICATION IN ACCORDANCE WITH ARTICLE 13c**

For the purpose of making publicly available the CdxA value specified in data entry 23 in accordance with Article 13c, the Commission shall use the ranges defined in the following table containing the corresponding range for each CdxA value:

| <b>Range</b> | <b>CdxA value [m2]</b>                    |   |
|--------------|---|---|
|              | <b>Min CdxA<br/>(CdxA ≥<br/>min CdxA)</b> | <b>Max CdxA<br/>(CdxA &lt;<br/>MaxCdxA)</b> |
| A1           | 0,00                                      | 3,00  |
| A2           | 3,00                                      | 3,15  |
| A3           | 3,15                                      | 3,31  |
| A4           | 3,31                                      | 3,48  |
| A5           | 3,48                                      | 3,65  |
| A6           | 3,65                                      | 3,83  |
| A7           | 3,83                                      | 4,02  |
| A8           | 4,02                                      | 4,22  |
| A9           | 4,22                                      | 4,43  |
| A10          | 4,43                                      | 4,65  |
| A11          | 4,65                                      | 4,88  |
| A12          | 4,88                                      | 5,12  |
| A13          | 5,12                                      | 5,38  |
| A14          | 5,38                                      | 5,65  |

|     |      |      |
|-----|------|------|
| A15 | 5,65 | 5,93 |
| A16 | 5,93 | 6,23 |
| A17 | 6,23 | 6,54 |
| A18 | 6,54 | 6,87 |
| A19 | 6,87 | 7,21 |
| A20 | 7,21 | 7,57 |
| A21 | 7,57 | 7,95 |
| A22 | 7,95 | 8,35 |
| A23 | 8,35 | 8,77 |
| A24 | 8,77 | 9,21 |

---

## ANNEX V

### Data reporting and management referred to in Articles 13a to 13c

#### 1. REPORTING BY MEMBER STATES

- 1.1. The data specified in Part A of Annex IV shall be transmitted in accordance with Article 13a by the contact point of the competent authority via electronic data transfer to the Agency.

The contact point shall notify the Commission and the Agency when the data are transmitted by email to the following addresses:

EC-CO2-HDV-IMPLEMENTATION@ec.europa.eu

and

HDV-monitoring@eea.europa.eu

#### 2. REPORTING BY MANUFACTURERS

- 2.1. Manufacturers shall notify the Commission without delay the following information:

- (a) the manufacturer name indicated in the certificate of conformity or individual approval certificate;
- (b) the World Manufacturer Identifier code (WMI code) as defined in Commission Regulation (EU) No 19/2011<sup>4</sup> to be used in the vehicle identification numbers of new heavy-duty vehicles to be placed on the market;
- (c) the contact point responsible for uploading the data to the Agency.

They shall notify the Commission without delay of any changes to that information.

The notifications shall be sent to the addresses referred to in point 1.1.

- 2.2. The data specified in Part B, point 2 of Annex I shall be transmitted in accordance with Article 13b by the contact point of the manufacturer via electronic data transfer to the Agency.

The contact point shall notify the Commission and the Agency when the data are transmitted by email to the addresses referred to in point 1.1.

#### 3. DATA PROCESSING

---

<sup>4</sup> Commission Regulation (EU) No 19/2011 of 11 January 2011 concerning type-approval requirements for the manufacturer's statutory plate and for the vehicle identification number of motor vehicles and their trailers and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (OJ L 8, 12.1.2011, p. 1).



- 3.1. The Agency shall process the data transmitted in accordance with points 1.1 and 2.2 and shall record the processed data in the register.
- 3.2. The data relating to heavy-duty vehicles registered in the preceding reporting period and recorded in the register shall be made public by 30 April each year, with the exception of the following data entries:
  - 3.2.1. vehicle identification number;
  - 3.2.2. name and address of the transmission manufacturer;
  - 3.2.3. make (trade name of transmission manufacturer);
  - 3.2.4. name and address of axle manufacturer;
  - 3.2.5. make (trade name of axle manufacturer);
  - 3.2.6. name and address of tyre manufacturer;
  - 3.2.7. make (trade name of tyre manufacturer);
  - 3.2.8. engine model;
  - 3.2.9. transmission model;
  - 3.2.10. retarder model;
  - 3.2.11. torque converter model;
  - 3.2.12. angle drive model;
  - 3.2.13. axel model;
  - 3.2.14. air drag model;
  - 3.2.15. comma separated values file of the same name as the job file and with an extension.vsum comprising aggregated results per simulated mission profile and payload condition.
- 3.3. Where a competent authority or manufacturers identify errors in the data submitted, they shall without delay notify those to the Commission and the Agency by submitting an error notification report to the Agency and by email sent to the addresses referred to in point 1.1.
- 3.4. The Commission shall with the support of the Agency verify the notified errors and, where appropriate, correct the data in the register.
- 3.5. The Commission, with the support of the Agency, shall make available electronic formats for the data transmissions referred to in points 1.1 and 2.2 in due time before the transmission deadlines.

ANNEX VI

**CORRELATION TABLE**

Regulation (EU) 2018/956

| Regulation (EU) 2018/956 | This Regulation |
|--------------------------|-----------------|
| Article 1                | Article 1(2)    |
| Article 2                | Article 2       |
| Article 3                | Article 3       |
| Article 4                | Article 13a     |
| Article 5                | Article 13b     |
| Article 6                | Article 13c     |
| Article 7                | Article 13d     |
| Article 8                | Article 13e     |
| Article 9                | Article 13f     |
| Article 10               | -               |
| Article 11               | Article 14      |
| Article 12               | Article 16      |
| Article 13               | Article 17      |
| Article 14               | -               |
| Annex I                  | Annex IV        |
| Annex II                 | Annex V'        |